

Nicholson, Laura 6-9190

From: Nicholson, Laura 6-9190
Sent: Thursday, January 22, 2015 11:57 AM
To: 'Bryan Hartnett'
Subject: RE: QAP question on detrimental characteristics

Correct, if the site is more than 500 feet away from the railroad you would not be subject to the point deduction and you would not need to submit a noise study.



Laura Nicholson, Development Director
300-C Outlet Pointe Blvd. | Columbia, SC 29210
Phone: 803.896.9190 | Fax: 803.551-4925
www.SCHousing.com

From: Bryan Hartnett [<mailto:bhartnett@wendovergroup.com>]
Sent: Thursday, January 22, 2015 11:25 AM
To: Nicholson, Laura 6-9190
Subject: QAP question on detrimental characteristics

Laura,

Can you confirm my understanding of Section 2, d, under Detrimental Characteristics in the QAP? As I read it, if a site is more than 500 feet away from a railroad track it would not be subject to this 3 point penalty. Is that correct?

Thanks,
Bryan

Bryan Hartnett
Wendover Housing Partners
800 East Boulevard
Suite 200
Charlotte, NC 28203
704-575-1268 (phone)
704-831-5438 (fax)
www.wendovergroup.com

Main Office:
1105 Kensington Park Drive, Suite 200
Altamonte Springs, FL 32714
Tel: 407.333.3233
Fax: 407.333.3919